
=SUZOHAPP



Simplify Your Sourcing

The Only Call for All Your Needs

Global Reach, Local Availability, Quality Products.

SUZOHAPP serves amusement operators with a vast variety of aftermarket parts and solutions. As a parts expert, we help keep your revenue stream uninterrupted by providing high quality components for increased machine performance, upgrades, and easy-to-install 1:1 replacements. SUZOHAPP has maintained a long legacy of quality products and high-level customer service. We take pride in our global network of vendors, suppliers, and partners. Together, we can source, distribute, and offer thousands of products in order to better serve our increasingly global customer-base. Make SUZOHAPP your first call and it will be the only call you'll need to make.







We commit to not just selling items to you, we commit to a relationship.

We are more than just a ready supply of aftermarket parts and quick customization capabilities; we are a focused, knowledgeable partner in the gaming, amusement and sport betting industries eager to help your business succeed.

About US

SUZOHAPP is a world leader in the manufacturing and distribution of gaming, amusement, and sports betting products. Serving operators and OEMs for over 60 years, SUZOHAPP carries a vast portfolio of components available for immediate distribution and for developing custom built solutions. More information, along with a comprehensive online components catalogue, is available at www.suzohapp.com.



Index

 Monitors pp 4 VisionPro™ LCDs VisionPro™ LED-Framed Monitors Elo Open-Frame Touch Monitors 	Cabinet Parts pp 13 Coin Cups Joysticks Trackballs		Stools • The Carrillo • Apollo	pp 25
Toppers & Accessories	Driving ControlsSteering WheelUSB Charge 'N PlaySpeakers		Air Hockey	pp 26
SH1950 Video TopperRGB Ellipse TopperRGB Polygon Topper	Counters & Proximity/Motion SensorDoor SwitchesCooling Fans		Mallets & Balls	pp 27
RGB Tower Light TopperAccessories	Coin Validators pp 19 • RM5 HD		Redemption • Ticket Dispensers • Tickets	pp 28
Pushbuttons pp 9 Chrome-Luminescent Pushbuttons Jumbo White Pushbuttons with Black Trim, RGB LED Spinners Jumbo UFO Pushbuttons STC Pushbuttons	• RM5 Evolution Note Validators pp 20 • NV9 Spectal • NV10 USB+	(<u>-</u> Å.	Lighting • LED Light Strips & Adhesive LED Strip Lightings • Wedge Base LEDs 5mm • Wedge Base Cluster LEDs 10r • Wedge Base Lamps 5mm	pp 29
 Concave Round Pushbuttons RGB Controllable Pushbuttons RGB Illuminated Pushbuttons LED Pushbuttons LCD Button Decks 	Change Machines pp 21 Easy PRO Dual Coin PRO Changeuro Multicoin Tokens		 Wedge Base Lamps 10mm Fluorescent Lamps T12 Fluorescent Lamps Blacklight Blue Fluorescent L 	amps
) Locks & Security pp 12			Cleaning	pp 32
	Note and Coin Counters & Sorters pp 23 • SC-8220 • ICX Active-9	000	Accessories • Hand Trucks • Coin Doors	pp 33
• (1)((\$\$\alpha(1))	• CC-3U3		Cach Dage	

• SC-350

Germatic

VisionPro[™] High Quality LCDs

■ VisionPro[™]

Touch and Non-Touch

VisionPro[™] is SUZOHAPP's premium line of LCDs using top panel brands and high-quality boards.

Fast customization is available for both OEMs and upgrades: 6.2" to 90", specialized panels and integration, customized metal, oversized glass, touchscreens and inputs. Send us your requirements, and we can design/build to match.

- ▶ Standard sizes from 15" to 43", smaller and larger sizes available with fast customization
- ▶ Up to 4K resolution
- ▶ Choice of:
- 10+ touch Projected Capacitive (PCAP), true-flat, seamless edge-to-edge glass with thru-glass capability
- 3M Surface Capacitive (SCAP) touch technology
- Protective Glass

- ▶ Standard and wide viewing angle units available
- ► Common footprint for touch and non-touch variations
- ▶ DVI, VGA, HDMI and DisplayPort input options
- ▶ Economically priced
- ► Models also available with LEDs surrounding the display with colour



VisionPro[™] High Quality LCDs

LED-Framed Monitors

- ▶ Rigid high-quality PCB-mounted LEDs, no adhesive strips, no hotspots, no dark corners
- ▶ True-flat, black closed-frame designs
- ▶ 21.5"/ 23.8": 250 cd/m², 1000:1 27": 300 cd/m², 3000:1 32": 400 cd/m², 1200:1 32" (P): 500cd/m², 3000:1 43": 450 cd/m², 1100:1 43" 4K UHD: 500 cd/m², 4000:1
- ► FHD 1920x1080, WVA 178° x 178° for landscape or portrait usage (43" 4K UHD 3840x2160)

- ▶ 10-touch PCAP for Windows 7 or later,
- ▶ Dual-line LEDs in Addressable versions
- ► VGA + DVI standard, HDMI and DisplayPort available (4K UHD: HDMI/DP only)
- ▶ 12VDC (24VDC for 32", 43"), optional 100-240V AC brick
- ▶ Operating temperature: 0-50°C (32-122°F)
- ▶ FCC, CE, RoHS
- ▶ Drawings and CAD files available on request
- ► Customization possible









CHOICES

1 Size











2 Design

Halo illumination surrounding the display, external VESA mount

Edge and front illumination external VESA mount

Front illumination for flush integration within a cabinet



- RGB solid colour, 12V without IC
- Addressable individually driven, 5V with IC

4 Touch or Non-Touch

• 10-touch PCAP (Projected Capacitive technology) behind 3mm tempered glass Non-touch 3mm tempered painted glass



Halo Design

For floating monitor outside vour cabinet. Surround colour in front, side, rear for a halo effect.



Edge Design

For front and edge illumination, external use



Front Design

For mounting monitor flush inside your cabinet.

Elo Touch Solutions Distributed globally by SUZOHAPP

World-Class Quality, Global Approvals and Support

Elo is the world leader in commercial touch with over 20 million installations, half a million units per year, nearly 2,000 units per day. And SUZOHAPP is the world's largest distributor of this premium open frame product line.

Engineered and designed specifically for the demanding requirements of the gaming industry, the 90-Series open-frame displays feature integrated touch technology rather than glued-on additions. Select from a wide range of sizes from 10" to 27" to fit in any gaming environment. Elo products extend the range to 70".

- ► Next generation Projected Capacitive (PCAP) 2GS technology (2 glass solution)
- ► Highest optical quality and longevity as no plastic films, no metal mesh
- ▶ 10-touch true-flat solution
- ► Thru-glass mode which operates through up to 6 mm customer-supplied glass
- ► Common mechanical and electrical components across the line for easy design-in, compliance testing, service, and transition between sizes
- ► HDMI, DisplayPort, VGA inputs, with common port design across all units

- ▶ Built-in watertight edge seal
- Magnetic tethered OSD control box
- ▶ Unique field-replaceable touchscreen glass design
- Global agency approvals: United States UL, FCC; Europe CE TÜV; Australia RCM; Canada cUL, IC; China CCC; Japan VCCI; Korea KCC; Mexico CoC; Taiwan BSMI; International CB; RoHS
- ▶ Passes UL and IK07 Ball Drop tests
- ▶ 50,000 hour demonstrated MTBF
- ▶ 3-year standard global warranty





10" to 27" Desktop Touchmonitors, All-in-Ones and Interactive Digital Signage from 10" to 70"

SUZOHAPP also distributes the complete line of Elo Touch Solution products — seen in cashier cages, sports betting outlets, and on the gaming floors in top casinos around the world. Monitors and All-in-Ones for front/back office, interactive digital signage, bingo, lottery, sports betting, player tracking, loyalty systems and pos.







SH1950 Video Topper

103-020081101 2 Lamp Tower Light, Chrome Bezel, surrounding LEDs with controller, VGA loom

103-020001101 2 Lamp Tower Light, Chrome Bezel, surrounding LEDs with Controller, VGA Loom

- ▶ 19.5" High viewing angle panel with LED back light
- ▶ Classic mini tower light chrome 2 lamps or 3 lamps or no mini tower light optional
- ▶ RGB LED illumination, covered by an acrylic front plate
- ▶ Optional without LCD to be used as a light box
- ▶ RGB optional with or without controller
- ▶ VGA or DVI connection
- ▶ Black or chrome bezel
- ▶ Black feet included



RGB Ellipse Topper

PART N. 104-05890 Ellipse Topper 104-06890 Mini Ellipse Topper

- ▶ Whole unit operates on a safe 12VDC
- ▶ Different attract modes in a program such as twinkling, full on, rotating left to right and right to left, filling rotation, etc.
- ▶ Standard supplied with 32 bright white LEDs (7 different light brightness selections on the topper control board)
- ▶ Standard supplied with bright chrome bezel
- ▶ Mounting location and through holes for tower lights in the top of the body
- ▶ Flat, angled or radius base options for different cabinet configurations, easy mounting with two threaded studs
- ▶ Metal mounting bracket available for mounting on existing tower light fitting holes, to be used in conjunction with mounting bracket




RGB Polygon Topper

PART N. 104-31000

- ▶ Completely backlit thanks to bright white LEDs
- ► Includes tower light with colour foils
- ▶ On board PCB allows stand-alone operation or synchronization of up to eight topper boxes
- ▶ Seven pre-programmed flashing patterns
- ▶ Different attract modes including full on, rotating left to right and right to left, flashing and more
- ▶ Optional mounting base available
- Artwork panel not included
- ▶ Opaque bezel contains 48 bright Nichia multi-colour LEDs
- ▶ Body is constructed of black UL-94 VO flame resistant plastic
- ► Topper base sold separately





RGB Tower Light Topper

PART N. 104-08000

- Designed to be mounted on top of any standard classic tower light with the included special top mounting bracket
- ► Great for advertising special machine features such as Multi-Denomination, Ticket-In Ticket-Out, Hot New Game, Server Based Gaming, etc.
- ► Translucent bezel with 20 ultra bright Nichia multi-colour RGB LED's provide light output for a elegant multi-coloured lightshow
- ► Several optional base/cap adapters make it easy to use on other styles of tower lights
- ► Mounting base for WMS tower lights is available (optional)
- ► Pre-Programmed with 8 unique flashing patterns and 7 different colour combinations
- ▶ Backlit by 9 white high power Nichia LED's
- ▶ Operates on 12VDC power
- ▶ Optional harness H11-2801-00 makes it easy to install on existing games by simply tapping into 12VDC and ground
- ▶ Artwork panel and tower light are not included



Accessories



Ballast



Mounting Base - Flat



Synchronizer



Compact Fluorescent Lamp



Power Supplies



RGB LED Light Strips



Mounting Base 15° Slant angle



LED Light Strip Controller




Chrome-Luminescent Pushbuttons

PART N 26-13XX-XX RBM-K730-001 Nut (sold separately)

- ▶ Polished chrome-plated button bezel with translucent colour washer moulded in bezel to provide edge luminescent effect
- ▶ Locking nut has special design to allow it to fit over "Snap-Tab" feature with microswitch installed
- ▶ Ease & flexibility of mounting to metal control panels using either the "Snap-Tab" or traditional locking nut
- ► Switch pre-assembled on button for reduced assembly time into control panel
- ▶ Subminiature microswitch provides additional clearance room under control panel
- ▶ Grounded for ESD protection
- ▶ Polycarbonate lens for optical clarity and durability
- ▶ Switch snaps on bezel of button eliminating the need to have separate lamp holder
- Casino Chrome-Luminescent Pushbutton Available in several colour combinations of button & luminescent effect
 - ▶ Additional customization also available

Design Your with the Matrix below:



S = SizeC = Lens Colour L = Luminescent Effect A = Large Square 2 = Red2 = RedB = Small Square 3 = Amber (Orange) 3 = Amber (Orange) C = Large Rectangle 4 = Yellow 4 = Yellow D = Small Rectangle 5 = Green 5 = Green E = Large Round 6 = Blue 6 = Blue F = Small Round 9 = White 9 = White

Nut Sold Separately, Part number RBM-K730-001



Jumbo White Pushbuttons with Black Trim. RGB LED

PART N. 75-4002-XX

- ► Achieves magnificent lighting effects
- ▶ 13 different display modes to control. Enhance user interaction for your machine
- ▶ Top quality with a competitive price
- ▶ Simple installation takes your machine assembly to the next level
- ▶ Available in different colours

Spinners

PART N. 58-0020-00



- ► Moisture-proof plastic cover design
- ▶ Built-in automatic RGB LED lighting effect
- ▶ Made with highest quality raw materials
- ▶ Suitable to be used for various machines





Jumbo UFO Pushbuttons

75-0029-00 *115mm*

75-0031-00 *Large*, 83mm

75-0032-00 Medium, 59mm

- ▶ Multi-colour type pushbutton
- ▶ Only 12VDC power input
- ▶ 6 multi-colour for 12 LEDs on board with running control



STC Pushbuttons

PART N. 26-06X0-X

- ▶ STC Pushbuttons with Subminiature Microswitch
- ▶ Designed to resist spills and sticking, for high reliability and long life, tested for 10 million+ cycles
- ▶ Standard supplied with spacer bezel for mounting on top or in the panel (low-profile)
- ▶ Full 0.5mm thickness on lamp terminals holds lamp or LED connectors securely
- ▶ For use with 5mm wedge base lamps or LEDs (not included)
- ▶ Standard fitted with Cherry DB5 style microswitch with 2.8mm terminals for easy connection
- Available in 6 different colours: Red, Orange, Yellow, Green, Blue, White



RGB Controllable Pushbuttons

- ▶ Built-in RGB LED PCB it can be controlled by LED driver with constant current output
- ▶ Built-in microswitch
- ▶ Made with highest quality raw materials
- ▶ Suitable to be used for various machines
- ▶ Over 10 million times reliability test for microswitch with gilded contact legs
- ► Connection options: 6pin connector, 110" terminal

Concave Round Pushbuttons

PART N.

58-9100-L 58-09100-L Red without switch Red with switch

- ► Special anti-scratch material with stunning flashing vehicle baking finish appearance
- ▶ Built-in microswitch
- ▶ Top quality with a competitive price
- ▶ Suitable to be used for various machines



RGB Illuminated Pushbuttons

PART N. 26-2180-9

- ▶ 13 different display modes
- ► Top quality with a competitive price
- ► Magnificent lighting effects
- ► Simple installation
- ► Available in different colours







LED Pushbuttons

- ► Two colour design Unique and very attractive appearance
- ▶ Built-in lighting LED design with 110 terminals
- ▶ Built-in microswitch
- ▶ Suitable to be used for various machines
- ➤ Over 10 million times reliability test for microswitch with gilded contact legs

LCD Button Decks

PART N. 130-XXXXXXXX

- ► LCD is integrated into the button and moves with lens cap
- ▶ LCD Light Ring provided by single LED
- ➤ Option to customize LCD decal surround (black standard)
- ► Full Colour
- USB interface, controller board controls up to 16 buttons. It can control 1 button or all of the buttons
- ► Communications: Serial Peripheral Interface Bus
- ▶ Light Ring comes in a range of colours
- ▶ 24 frames per second animation
- ▶ 128 x 128 pixels
- ▶ RoHS compliant



- ▶ Economical alternative to OLED buttons
- ► Individual buttons allow your choice of placement
- If replacement required, you don't have to replace complete button deck, just the button
- ▶ No more printed legends
- ► Display text or video to enhance game play or multifunction selection







ASSA* Desmo Casino Locks

D1118KD

Lock 28.5" 1-1/8" keyed-different

D1078KD

Lock 22.3" 7/8" keyed-different D2058KD

Lock AD390 keyed-different





Keyed-Different Locks

X1118KD

Lock 28.6mm 1-1/8" keyed-different

X1078KD

Lock 22.3mm 7/8" keyed-different

X1058KD

Lock 16mm 5/8" keyed-different





V1118KD

Lock 28.6mm 1-1/8" keyed-different

V1078KD

Lock 22.3mm 7/8" keyed-different

V1058KD

Lock 16mm 5/8" keyed-different



E-PRL

Electronic Reprogrammable Lock

EPRL05A10-001

Lock E-PRL reprogrammable

EPRL02A11-001

Lock E-PRL 23mm

Available with Bluetooth





Round Key Locks

S1118KD

Lock 28.6mm 1-1/8" keyed-different

S1078KD

Lock 22.3mm 7/8" keyed-different

S1058KD

Lock 16mm 5/8" keyed-different



GEMATIC Locks

F1058 Lock 16mm - 5/8"

F1078

Lock 22.3mm - 7/8"

F1118 Lock 28.6mm - 1-1/8"

keyed-alike keyed-alike

Also available as Standard Switchlock, 36.4mm - 1-7/16"



Coin Cups

PART N.

39-0540 Cupholder for 500cc cups x 500 39-0541 Cupholder for 300cc cups 39-0528 Good Luck Coin Cup x 500 39-0529 300cc Coin Cup x 1,000

- ▶ Made of strong, durable and resistant plastic
- ► Stack easily
- ➤ Available in 2 sizes: 300cc (100xh60mm) and 500cc (115xh70mm)



Trackballs

PART N.

55-XXX

56-XXX

- ▶ Exceptional performance
- ► Custom colours available
- ▶ No external power supply needed
- ▶ Ease of use

Joysticks

PART N.

22-XXX 29-XXX 50-XXX 70-XXX

950-XXX

- ➤ Supplied with microswitches with 4.8mm and 6.3mm
- ▶ Realistic spring action
- ▶ Ergonomic handle for comfortable grip
- ► Available with 4 or 8 ways



Driving Controls

PART N. 22-2197-X

- ▶ Sturdy 2 position shifter
- ▶ Microswitch operation
- ▶ Standard mounting



Steering Wheel

PART N. 22-2105-1 270 Degrees Potentiometer Control

- ▶ Ball bearing construction
- ▶ Potentiometer control
- ▶ Standard mounting
- ▶ 270 Degrees







USB Charge 'N Play

PART N.

39-0045 Optional Installation Kit 39-0046 Optional Installation Kit without Charge 'N Play housing H1061B Dual Charger Core w/o Lighting or Accessories

Charge 'N Play is the innovative dual USB charger – easy to install and simple to use, and a magnet for customers. Charges up to 2 devices. Charge 'N Play can be installed in cabinets or integrated in the wall.

- ▶ Draw customers to machines and keep them playing longer while their mobile phones and other USB devices charge
- ▶ Designed to mount easily to wood or plastic cabinet
- ► Compatible with popular mobile devices. Any USB device can be charged or powered with Charge 'N Play
- ▶ Perfect for bars, casino floors, restaurants, airports, and lounges
- "Charge 'N Play" logo is backlit with a white LED for increased visibility (custom logos available)
- ► Maximum Output Current 2.1A DC (total)

Also available as kit, with cable, wobbler and power supply

Built-up Kit



Built-in Kit



Available with Charge'N Play

Lumia RGB Infill Panel

- ► Pleximilchglas with RGB LED lighting and remote control
- ▶ High quality soldering iron stand
- ► Front panel can be easily removed (3 screws)
- ➤ Different colours adjustable, as well as various flash modes and a colour change programs
- ▶ Very discreet, non-glare lighting
- ▶ Dimensions: 95cm x 35cm x 47cm

Protec Alarm System

- ▶ 12/24VDC operation
- ▶ Backup battery included
- ► Uses accelerometer no external Tilt Switch necessary
- ► Automatic arming (if required)
- ▶ External LED indicator
- ► Spares available upon request







AudioPRO
Full Range Speaker
PART N. 22-0171
50x90mm • 8 0hm • 2W

AudioPRO

2" Full Range Speaker 8 Ohm • 5W



AudioPRO 3.3" Full Range Speaker 8 Ohm • 10W



AudioPRO Oval Speaker 11x71mm • 4 0hm • 2W



AudioPRO Oval Speaker PART N. 22-0964 50.3x90.3mm • 8 Ohm • 4W



Non-Reset 6 Digits Panel Mount Counter

PART N.

27-0045 *12VDC* 27-0046 *6VDC*

- ► Has 6 digits, counting up to 999.9999
- ▶ Black plastic housing
- Numbers 3.5mm high, white numerals on black field



SEC Starpoint Electronic Counter

PART N. 27-0800

- ► Replaces up to 31 mechanical meters with individual counters stored in EEPROM
- ▶ 7 Digit Liquid Chrystal Display for displaying contents of counters
- ► Text messages and counter selection controlled by host machine
- ► Clock Serial interface designed to work on existing meter ports
- ► Tamperproof counters with unique fingerprint code
- ► Secure software protocol

Non-Reset 7 Digits Base Mount Counter

PART N. 27-0115 12VDC

- ▶ Has 7 digits, counting up to 999.9999
- ▶ Black plastic housing
- Numbers 3.5mm high, white numerals on black field
- ▶ Flying leads connection





Non-Reset 7 Digits Panel Mount Counter

PART N. 22-0145 12VDC

- ► Has 7 digits, counting up to 999.9999
- ▶ Black plastic housing
- Numbers 3.5mm high, white numerals on black field
- ▶ Flying leads connection



Proximity/Motion Sensor

PART N. 2051400000184A

- ▶ Detects changes in position within a zone up to 5 meters
- ► Easy to use sensor simply changes its output from 0 to 1

Door Switches Single-Pole



Single-Pole 6.3mm

PART N. 27-0045

- ► Single pole / Double throw
- ▶ Electrical rating: 10A 125/250VAC
- ▶ 6.3x0.8mm (0.250"x0.032") terminals
- ▶ VDE approved / UL recognised
- ▶ Push/Pull (cheat) function

Single-Pole 4.8mm

PART N. 22-0745-4

- ▶ Single pole / Double throw
- ▶ Electrical rating: 10A 125/250VAC
- ▶ 4.8x0.8mm (0.187"x0.032") terminals
- ▶ VDE approved / UL recognised
- ▶ Push/Pull (cheat) function



Double-Pole



Double-Pole 6.3mm - Push/Pull function

PART N. 22-0746

- ▶ Double pole / Double throw
- ▶ Electrical rating: 10A 125/250VAC
- ► 6.3x0.8mm (0.250"x0.032")
- ▶ VDE approved / UL recognised
- ► Push/Pull (cheat) function

Double-Pole 4.8mm - Push/Pull function

PART N 22-0746-1

- ► Double pole / Double throw
- ▶ Electrical rating: 10A 125/250VAC
- ▶ 4.8x0.8mm (0.187"x0.032") terminals
- ▶ VDE approved / UL recognised
- ▶ Push/Pull (cheat) function





Double-Pole 6.3mm - Push function

PART N. 22-0746-3

- ▶ Double pole / Double throw
- ▶ Electrical rating: 10A 125/250VAC
- ▶ 6.3x0.8mm (0.250"x0.032") terminals
- ▶ VDE approved / UL recognised
- ▶ Push (momentary) function



DC Cooling Fans

PART N.

22-2204-4 92x92x25mm, 2800 RPM 22-2204-24 80x80x25mm, 3000 RPM 22-2204-20 60x60x25mm, 4500 RPM 22-2204-11 50x50x15mm, 5800 RPM

- ► Compact cooling fans
- ▶ Wire connection
- ▶ 12VDC
- ▶ Different size available

AC Cooling Fans

PART N.

22-2204 120x120x38mm, Terminal Connection, 3000 RPM 22-2204-2 92x92x25mm, Terminal Connection, 2500 RPM 22-2204-7 80x80x38mm, Wire Connection, 2500 RPM

- ▶ Protects electronics from over heating
- ▶ Terminal or wire connection
- ▶ Speed up to 3000 RPM
- ► Easy mounting with 4 bolts



Accessories

Finger Guards for Cooling Fans

PART N


22-2208-30 *30x30mm* 22-2208-50 *50x50mm*

22-2208-60 *60x60mm* 22-2208-80 *80x80mm*

22-2208-90 90x90mm 22-2208-120 120x120mm

▶ Easy mounting with 4 bolts

▶ Different sizes available, up to 120x120mm





RM5 HD

- ▶ High-discrimination system based on 10 different parameters
- ▶ 5-sensor identification technology
- ▶ High acceptance speed: up to 6 coins per second
- ▶ Advanced electronic and mechanical anti-fraud system
- ▶ Indicator LED
- ▶ Accessories include front plates, sorters, and funnels
- ▶ Compatible with all solutions available in the market



RM5 Evolution

- ▶ 3 pairs of inductive sensors used to process 6 different parameters
- ▶ 3 pairs of optical sensors to determine coin's diameter
- ▶ A mechanical and an electronic anti-fishing device
- ▶ Automatic optical sensor compensation system
- ▶ Identification channels: up to 59 and 6 in Self-Prog mode
- ► Open collector outputs
- ▶ Accessories include front plates, sorters, and funnels
- ▶ Compatible with all solutions available in the market

Over **2 million**of Comestero
coin mechanisms
installed!



NV9 Spectral

- ▶ Unrivalled genuine note detection & protection against fraudulent notes
- Outstanding fraud protection
- ► Stained note detection
- ► Full note high resolution imaging 1.28 million data points
- ► Faster note to note processing
- ▶ Optical and mechanical anti-strimming technology
- ► Easy maintenance, free firmware updates
- ▶ Modular design recycler or ticket printer available
- ▶ Various cashbox and bezel options




NV10 USB+

- ▶ One build standard for global applications
- ► Lowest cost of ownership
- Enhanced sensing technology
- ▶ Proven field reliability
- ► Compact stackerless design
- Over 100 different world currencies accepted
- ► Simple integration
- ▶ Future proof quick & easy updates via USB, PC, or handheld programmer

Easy PRO

- Distribution of coins or tokens, bonus function for tokens
- ► Exporting of accounting data and importing of configuration parameters via SD-Card
- ► Machine cloning function
- ► Connection of peripherals via ccTalk
- ▶ Coins/tokens dispensed automatically or manually
- ▶ Internal on/off controls to prevent tampering
- ▶ Installations: wall mounted, countertop, free standing
- ► Coin capacity: 2,400 (1€) coins



Dual Coin PRO

- Distribution of coins and tokens, bonus function for tokens
- ► Exporting of accounting data and importing of configuration parameters via SD-Card
- ► Machine cloning function
- ▶ MultiConfig software for configuration
- ► Coins/tokens dispensed automatically or manually
- ► Separate dispensing of coins and tokens can be selected using the appropriate button
- ▶ Installation: wall mounted, countertop, free standing
- ► Coin capacity: 7,000 (1€) coins




Changeuro Multicoin

- ▶ Automatic or manual coin/token dispensing
- ▶ Internal on/off controls to prevent tampering
- ▶ Automatic or manual coin/token payout modes
- ▶ Sheet metal with tubular security lock
- ► Programmer for on-field programming configuration and optional diagnostics
- ▶ Personalized artwork available
- ▶ Installation: wall mounted, countertop, free-standing
- ► Coin capacity: up to 11,000 (1€) coins



Tokens

Customization Available Upon Request (Minimum Order 250)





Bimetallic

Consisting of a core and a copper alloy surrounding ring.

Diameter from 26 to 27mm (other sizes upon request)













SC-8220 Multi Currency Counter & Sorter

158-SC8220-000



Free count mode for notes and tickets



Single denomination counting and sorting



Detect counterfeits



€/£/\$ Easy flex between different currencies



Emission counting



Value counting



Multi currency mode



No need for banknote verifiers



Easy to update



Serial number reading



▶ Easy Roller Cleaning



▶ Easy **Updating**







ICX Active-9 Mid-range Active Coin Sorter

PART N.

5004809-GB0 GBP Currency

5004809-EU0 EUR Currency

- ▶ Superior coin identification
- ► Active Sorting® technology
- ▶ Intelligent coin processing
- ► Flexible batch-stops
- ▶ Data loss prevention
- ▶ Vast data connectivity
- Advanced jam-prevention technology
- ► Non-stop processing
- ▶ Future-oriented
- ► Service friendly
- Custom variables and input fields
- ▶ 9 Coin Outlets plus 1 for Rejection
- ▶ 10" Touchscreen User Interface
- ▶ 3 USB for Accessories or Peripherals



SC-303 Long-lasting Coin Counter

PART N. 012461-004

- ▶ Speed up to 2,700 coins/min.
- ▶ Universal counting, bagging and tubing
- ➤ Electronic sensing technology to assures high accuracy in identifying foreign, damaged or counterfeit coins
- ► Automatic reverse function to remove jammed coins
- Automatic stop and out sort function for small coins
- ▶ Pre-selectable bag stops
- ► Easy to read LED display



► Handled for Easy Transportation



SC-350 Heavy Duty Coin Counter

PART N. 019350-004

- ▶ Speed up to 3,000 coins/min.
- A non-volatile memory to storage of data on counted coins
- Electronic sensing technology to assure high accuracy and low noise
- ► Automatic reverse function to remove jammed coins
- ► Automatic stop and out sort function for small coins
- ► Accessories and 7 pre-programmable quantity stops (plus 1 continuous) to make it highly effective filling machine
- ► Serial interface to monitor and control from a PC



► Easy to Read LED Display



The Carrillo

PART N. 39-0084-1 The Carrillo 39-0084-1A Bebe Carrillo

- ► Eco leather fire-retardant (certificate 300,000 cycles wear resistance)
- ▶ Padded ergonomic polyurethane foam to varying hardness
- ▶ Structure in reinforced steel with welding anti-break
- ► Finished chromium (three chromium)
- ► Available in height 73cm for high cabinet or 55cm ideal for slant top
- ► Exceeded the following tests and certifications: durability test seat and back drop test footrest fatigue resistance to fatigue armrest stability test
- ▶ Personalized artwork available





Apollo

PART N. 39-AD185-BK *Black/Chrome*

- ▶ 360° rotation
- ▶ Adjustable seat height
- ▶ Free running backrest
- ► The six flat double wheels cannot be seen due to the cover and can support a load of 300Kg Ideal for carpets and hard flooring
- With its Teflon gliders, the chair slides smoothly over the floor without damaging it. Even when heavily loaded. No scratches, no streaks or other mark
- ► Spare parts are fast delivered and are quick and easy to replace





Air Hockey Hammer

PART N.

30-0041-6 *Blue* 30-30-0041-9 *White "Pro"*

30-0042-7 Pink

- ▶ Universal Hammer for all air hockey games
- ▶ Superior quality and made of durable material
- ▶ High profile handle to prevent injuries

Air Hockey Puck Twister

PART N

 30-0070-3301 Orange, 70mm
 30-0070-4401 Yellow, 70mm

 30-0070-6601 Blue, 70mm
 30-0070-9901 White, 70mm

 30-0080-3301 Orange, 80mm
 30-0080-6601 Blue, 80mm

 30-0080-4401 Yellow, 80mm
 30-0080-9901 White, 80mm

▶ Two different diameters available: 70mm and 80mm

- ▶ 4 neon colours available: Orange, White, Yellow, Blue
- ▶ Colours light up when black light tube is used
- Customer logo possible by order of minimum 1,000 pcs in one colour (one time tooling cost applicable)





Felt Disc

PART N. 30-0030

▶ Replacement felt disc for Air Hockey Hammer "Pro"



Touch Screen Mallet PART N. 22-1947



29" Pump Action Shotgun for Bick Buck Hunter Pro

PART N.

96-0476-13 *Green*

96-0476-17 Longer cable 125cm

Small Foam Mallet

PART N.

22-1949 Red & Yellow 22-1948 Blue & Yellow 22-1946-1 Longer cable 125cm





Universal Mallet

PART N. 51-5000-00



Basketballs

PART N.


49-0471-00 7" Orange Basketball

49-0825-00 9" Orange Basketball

49-1264-00 7" Tri-colour Basketball

49-3020-00 5.5" Multi-colour Mini Basketball





ENTD-2000 Ticket Dispenser

PART N.

42-1337-00 *Continuous* 42-1337-10 *Pulse* A070-1010-00 *PCB for Entropy Dispenser*

- ▶ Virtually eliminate ticket jams
- ▶ Requires very little maintenance
- ➤ One of the most reliable and compatible ticket dispensers on the market
- ► Available as Continuous or Pulse type



Deltronic Ticket Dispenser

PART N.

42-0544-00 Continuous 42-1547-00 Pulse DL-1275 PCB for DL-1275

- "Snap out" one ticket dispenser replace it with another in seconds
- ▶ No tools necessary
- ► Foolproof braking system is easily adjustable
- ▶ Validation "Diamond" mark identifies tickets
- ► Available as Continuous or Pulse type





Redemption Tickets

Tickets can be personalized to your requirements!

- ▶ Standard size: 30x51mm
- ► Available in 5 colours: Red, Orange, Yellow, Green and Blue
- ► Available as box of 60,000 only

PART N.

45-0410-2 *Red* 45-0410-3 *Orange* 45-0410-4 *Yellow* 45-0410-5 *Green* 45-0410-6 *Blue*

Adhesive LED Strips

- ► Easily installs in or around your machines
- Great for amusement parks and games, arcades, family entertainment centers, theaters, backlighting, decorative lighting, etc.
- ▶ Ideal way to increase earnings on your cranes and pushers
- ▶ Very thin continuous length flexible LED light strips
- ▶ 5m rolls can be separated every 3 LEDs and reconnected again
- ▶ 300 super bright high-quality SMD LEDs per reel with 120 degree wide angle illumination
- ▶ 3M adhesive tape on back for easy installation
- ▶ Operates on +12VDC power supply (150-0049 or 150-0062)
- ▶ Solid state, high shock or vibration resistant
- ▶ LEDs controlled by controller and wireless remote (sold separately)
- ► Each controller can run 65.62 feet (20 meters) of LED strips
- ► Long life: 50,000 hours
- ▶ Less power consumption than traditional lights
- ▶ No RF interference
- ▶ Sold in reels of 5m
- ► +12VDC; 20W





8 Key RGB Remote & Controller (sold separately)

Wireless RF RGB Controller + 8-Key Remote Control 12VDC 12A for 5050 RGB LED Strip



LED Light Strips

PARTN

104-02000 *Lightstrip 470mm 20 LEDs* 104-02001 *Lightstrip 238mm 10 LEDs*

- Light strips with opaque bezel contains bright multi-colour LEDs and when mounted to your cabinet they provide a dazzling light show
- ▶ Can be used by themselves
- ► When used with RGB Xenon Topper it runs from the topper box into the light strips and back
- ▶ Wire harness sold separately





Wedge Base LEDs 5mm

PART N.

161-205052 5mm 5V Red 161-205054 5mm 5V Yellow 161-205055 5mm 5V Green 161-205056 5mm 5V Blue 161-205059 5mm 5V White 161-212052 5mm 12V Red 161-212054 5mm 12V Yellow 161-224059 5mm 24V White

161-212055 5mm 12V Green 161-212059 5mm 12V White 161-224052 5mm 24V Red 161-224054 5mm 24V Yellow 161-224055 5mm 24V Green 161-224056 5mm 24V Blue

- ► LEDs of 5mm T 1-1/2
- ► Available in 5 12 and 24V
- ▶ Wide viewing angle
- Available in 5 colours: Red, Yellow, Green, Blue and White
- ▶ White LEDs colour sorted per box



Wedge Base Lamps 5mm

- ► 5mm T-1-1/2
- Available in Red, Yellow, Green and Blue

PART N.	VOLT	AMP	LIFE	PACKING
LAM-2305	6	0.16	2500	100
LAM-2306	6	0.03	3000	100
LAM-286	12	0.10	1000	100
LAM-2321	12	0.08	5000	100
LAM-1179	12	0.11	15.000	100
LAM-2391	14	0.22	500	25
LAM-2341	24	0.03	5000	100

Wedge Base Cluster LEDs 10mm

161-205103-2 5V 10mm Red 161-205103-4 *5V 10mm Yellow* 161-205103-5 5V 10mm Green 161-205103-6 5V 10mm Blue 161-205103-9 5V 10mm White 161-212103-2 12V 10mm Red 161-212103-4 12V 10mm Yellow 161-212103-5 12V 10mm Green

161-212103-6 *12V 10mm Blue* 161-212103-9 12V 10mm White 161-224103-2 24V 10mm Red 161-224103-4 24V 10mm Yellow 161-224103-5 24V 10mm Green 161-224103-6 24V 10mm Blue 161-224103-9 24V 10mm White



- ▶ Cluster of 3 LEDs in 10mm housing
- ► Available in 5 12 and 24V
- ▶ Wide viewing angle
- ▶ Available in 5 colours: Red, Yellow, Green, Blue and White
- ▶ White LEDs colour sorted per box

Wedge Base Lamps 10mm

- ▶ 10mm T-3-1/4
- ▶ Available in Red, Yellow, Green and Blue

PART N.	VOLT	AMP	LIFE	PACKING
LAM-2501	6	0.33	7000	100
LAM-159	6.3	0.15	10000	100
LAM-259	6.3	0.25	10000	100
LAM-1112	12	0.10	5000	100
LAM-2521	12	0.18	3000	100
LAM-512	12	0.22	1000	100
LAM-161	14	0.19	4000	100
LAM-2541	24	0.08	5000	100
LAM-656	28	0.06	5000	100





Fluorescent Lamps

- ▶ 70% of all artificial light in the world is generated by fluorescent lamps.
- ► A fluorescent lamp consumes only about one fifth of the electricity used by an ordinary light bulb.
- ► OSRAM, PHILIPS and SYLVANIA are the three largest manufacturers of lighting components in the world.
- ▶ Colour cool white
- ▶ Average life time of the fluorescent tubes is 12000 hours

PART N.	DESCRIPTION	WATT	LENGHT	PACKING
F4T5CW	Lamp T5	4W	6"- 15cm	25
F6T5CW	Lamp T5	6W	9"- 23cm	25
F8T5CW	Lamp T5	8W	12"- 30cm	25
F13T5CW	Lamp T5	13W	21"- 53cm	25
F10T8CW	Lamp T8	10W	13"- 33cm	50
F14T8CW	Lamp T8	14W	15"- 38cm	25
F15T8CW	Lamp T8	15W	18"- 46cm	25
F16T8CW	Lamp T8	16W	29"- 73.5cm	25
F18T8-133ST	Lamp T8	18W	24"- 61cm	24
F18T8K24CW	Lamp T8	18W	24"- 61cm	25
F18T8K26CW	Lamp T8	18W	26"- 66cm	24
F18T8K28CW	Lamp T8	18W	28"- 71cm	24
F18T8K30CW	Lamp T8	18W	30"- 76cm	24
F30T8CW	Lamp T8	30W	36"- 91.5cm	25
F36-133ST	Lamp T8	36W	48"- 120cm	25
F20T12CW	Lamp T12	20W	24"- 61cm	25
F25T12-28CW	Lamp T12	25W	28"- 71cm	30
F25T12-30CW	Lamp T12	25W	30"- 76cm	30
F25T12-33CW	Lamp T12	25W	33"- 84cm	30

Fluorescent tubes are only sold per box!



T12 Fluorescent Lamps

- ▶ Ultra slim design only 7mm diameter
- ▶ Diameter 7mm/ 0.276 inch
- ▶ Used with special electronic ballasts and fixtures
- ► Made by Osram
- Available in Cool White (CW) and Warm White (WW)
- ▶ Average rated life 10.000 hours


PART N.	WATT	SIZE	SIZE	KELVIN
FM6T2-830	6	218mm	Cool White	3000
FM6T2-840	6	218mm	Warm White	4000
FM8T2-830	8	320mm	Cool White	3000
FM8T2-840	8	320mm	Warm White	4000
FM11T2-830	11	422mm	Cool White	3000
FM11T2-840	11	422mm	Warm White	4000
FM13T2-830	13	523mm	Cool White	3000
FM13T2-840	13	523mm	Warm White	4000

Only Sold per box of 20 pieces!

Blacklight Blue Fluorescent Lamps

► Used in various applications, like air hockey, money detectors, etc.

	PART N.	DESCRIPTION	WATT	LENGTH
	F4T5BLB	Lamp T5	4W	6"- 15cm
	F6T5BLB	Lamp T5	6W	9"- 23cm
	F8T5BLB	Lamp T5	8W	12"- 30cm
	F36T8BLB	Lamp T8	36W	48"- 120cm









NEW

Aerosols / Ambersil

A dry graphite lubricant for long lasting, smooth lock operation. The microscopic grains of graphite ensure good penetration and effective anti-seize lubrication.

- ► Long lasting lubrication
- ▶ Dry film does not attract dirt and grime
- ► Excellent water resistance
- ▶ Wide operating temperature range
- ► Works even when lock has mild corrosion

Many More Ambersil Products Available



Note Acceptor Cleaning Cards

PART N. 29-0329-20

► Sold in box of 15 pieces

Card Reading Cleaning Cards

PART N. 29-0329-10

▶ Sold in box of 40 pieces





Thermal Printer Cleaning Cards

PART N. 29-0005-00

▶ Sold per piece

Hand Trucks

GEMINI JR. and SR.

PART N

21-2200 GEMINI JR. 21-2201 GEMINI SR.

- ▶ Strong, light weight multi-purpose handtruck
- ▶ 2-in-1 truck converts from 2-4 wheels in seconds
- ▶ Large ø 25cm pneumatic tires for smooth and easy handling
- ▶ Load capacity as hand truck: JR. 225kg SR. 225kg
- ▶ Load capacity as platform truck: JR. 295kg SR. 360kg

Note: All Magliner Handtrucks are shipped partially assembled to reduce damages and freightcosts.

GEMINI JR. 21-2200





GEMINI SR. 21-2201

132cm Hand Truck with 4th Wheel Attachment

PART N.

H33-1257-00

- ▶ Great for slot machines, small equipment, supplies, etc
- ▶ Large type H nose plate cast magnesium, 36cm wide, 30cm deep, recessed heel
- ▶ Retractable 4th Wheel Retractable 12.5cm caster wheels support load in incline position. Folds flush against frame when not in use
- ▶ Extra high 132cm straight back frame
- ▶ Vertical loop handle
- ▶ 25x9cm pneumatic tires
- ▶ Load capacity 225kg





Coin Doors



Mini Door

PART N.

65-0100-000 Blanc Door (no holes)

65-0100-090* One Entry Mechanical Acceptors

65-0100-990* Two Entries Mechanical Acceptors

65-0100-010 Cut-Out CC Validator

65-0100-040 Cut-Out Mars Validator

65-0100-070 Cut-Out NRI / S.E.C.I Validator

* Specify coinage for label and entry button size

- ▶ Sturdy one piece diecast metal frame
- ▶ Heavy duty 16 gauge drawn steel door
- ▶ Standard industry mounting dimensions
- ▶ Including mounting hardware
- ▶ Black finish
- ▶ With coin insert, return cup and snap-in mech holder for small 3-1/2" mechanical coin mechs
- ► Fitted with plastic cash box in metal enclosure (optional)

Without coin mech



Double Mini Door

PART N.

65-0200-090* One Entry Mechanical

65-0200-909* Two Entries Mechanical

65-0200-010 Cut-Out CC Validator

65-0200-040 Cut-Out Mars Validator

65-0200-070 Cut-Out NRI / S.E.C.I. Validator

* Specify coinage for label and entry button size

- ▶ Sturdy one piece diecast metal frame
- ▶ Heavy duty 16 gauge drawn steel door
- ▶ Standard industry mounting dimensions
- ▶ Including mounting hardware
- ▶ Black finish
- ► With coin insert, return cup and snap-in mech holder for small 3-1/2" mechanical coin mechs
- ► Fitted with plastic cash box in metal enclosure (optional)

Without coin mech



Coloured Coin Bags

PART N.

185-0800-02 *Red*

185-0800-05 Green

185-0800-09 White

185-0800-04 *Yellow* 185-0800-06 *Blue*

- ► 5 different colours for easy identification
- ► Size: 35x25mm



Coin Doors



Multi Pinball Door

PART N

65-0600-010 Cut-Out CC Validator 65-0600-040 Cut-Out Mars Validator 65-0600-070 Cut-out NRI / S.E.C.I Validator 65-0600-090 Pinball Door 1 Entry

- ▶ Sturdy one piece diecast metal frame
- ▶ Heavy 16 gauge steel door
- ▶ Including mounting hardware
- ▶ Black finish



Rectangular Mini Door

PART N

65-0800-090* Rectangular Door + Entry
65-0800-XXX Specify Cut-Out Validator Type

* Specify coinage for label and entry button size

- ▶ Sturdy one piece diecast metal frame
- ▶ Mounts all 3-1/2" mechs and validators
- ► Exclusive "snap-in" mech holder design
- ▶ Illuminated coin denomination reject button
- ▶ Optional with separator for multi-coin validator, like NRI, CC and Mars

Multi Standard Door

PART N.

65-0300-090* One Entry Mechanical Acceptors

65-0300-909* Two Entries Mechanical Acceptors

65-0300-999* Three Entries Mechanical Acceptors

65-0300-010 Cut-Out CC Validator

65-0300-040 Cut-Out Mars Validator

65-0300-070 Cut-Out NRI / S.E.C.I Validator

* Specify coinage for label and entry button size





Front Plate Assembly Direct or Indirect Reject

PART N.

62-0100 Direct Reject

62-0200 Indirect Reject

62-0300 With Separator Direct Reject

62-0400 With Separator Vertical

- ▶ Mounts all 3-1/2" mechs and validators
- Exclusive "snap-in" mech holder design
- ▶ Illuminated coin denomination reject button
- Optional with coin separator for multi-coin validator
- ▶ Also available for CashFlow with 5 way separator

Rejector not included



© 2021 SUZOHAPP

All rights reserved. Specifications subject to change.

Trademarks owned by their respective holders.

No part of this catalogue may be reproduced in any form by print, photoprint or any other means, without written permission from the publisher.

Technical data, text and pictures are subject to error and modifications.

The catalogue can be subject to further developments.



SUZOHAPP Netherlands B.V.

Rijnzathe 12, 3454 PV De Meern,

The Netherlands

Phone: +31 (0)186 643333

SUZOHAPP UK Ltd

Unit D2 Longmead Business Park, Felstead Rd, Epsom, Surrey - KT19 9QG, United Kingdom Phone: (+44) 208 391 7700 sales.ch.uk@suzohapp.com